


Cabinets Assembly Drawing




Remark: MP Cabinets are all in flat packing

Main Parts


1. Top cover
2. Bottom panel
3. Left & Right frame
4. Mounting profile
5. Side panel
6. Back panel
7. L rail(Optional)
8. Toughened glass front door
9. Toughened glass front door with slanted slot door border
10. Toughened glass front door with round hole arc door border
11. Hexagonal reticular high density vented plate door
12. Plate steel door

Cabinets Three -Dimensional Drawings




Standard Configuration

S/N	Name	Quantity	Unit	Material	Surface Treatment	Remark
1	Top cover	1	Piece	0.8 mm SPCC cold rolled steel	Electrostatic spray	/
2	Bottom cover	1	Piece	0.8 mm SPCC cold rolled steel	Electrostatic spray	/
3	Frame	2	Piece	0.8 mm SPCC cold rolled steel	Electrostatic spray	/
4	Back panel	1	Piece	0.8 mm SPCC cold rolled steel	Electrostatic spray	/
5	Front door	1	Piece	0.8 mm SPCC cold rolled steel	Electrostatic spray	/
6	Side panel	2	Piece	0.8 mm SPCC cold rolled steel	Electrostatic spray	/
7	Mounting profile	4	Piece	1.0 mm SPCC cold rolled steel	SGLC	/
8	T-type Allen wrench	1	Piece	/	/	/
9	M6 square screw & nut	20	Sets	/	/	10 sets for lower 12U



Wall -Mounted Cabinets



STANDARD SPECIFICATION

- ANSI/EIA RS-310-D
- IEC60297-3-100
- DIN41494:PART1
- DIN41494:PART7



PRODUCT
INFORMATION

Product Features

- Removable side panels, easy to install and maintain
- Optional Metal cable management
- Adjustable depth of installation
- Comply with UL, ROHS certifications

70KG

Static
loading




High
quality



Materials	Structure	Static Loading Capacity
SPCC cold rolled steel	Welded frame	70KG
Thickness	Surface Finish	LOCK
Mounting profile 1.0 mm Others 0.8mm Side panel 0.8mm	Degreasing, Silanization, Electrostatic Spraying	Small round lock

Product Specification	
Model No.	Description
CH2810;CH2819; CH2816S;CH2811S; CH2823;CH2812S CH2813450;CH2814S; CH2814450;CH2815450; CH2815S	Toughened glass front door, door border without holes, small round lock

Remarks: Black(RAL9004)



Cabinets Specification

MW Cabinets Specification						
Model No.	Capacity (U)	Width (mm)	Depth (mm)	Height (mm)	Package Size (mm)	Packing Volume (M ³)
CH2810	6	550	450	370	580*480*390	0.1086
CH2819		600	600		630*630*390	0.1548
CH2811S	9	550	450	503	580*480*520	0.1448
CH2816S		600	600		630*630*520	0.2064
CH2812S	12	550	450	636	580*480*670	0.1865
CH2823		600	600		630*630*670	0.2659
CH2813450	15	550	450	770	580*480*790	0.2199
CH2813S		600	550		630*580*790	0.2887
CH2814450	18	550	450	900	580*480*925	0.2575
CH2814S		600	550		630*580*925	0.3380
CH2815450	21	550	450	1000	580*480*1055	0.2937
CH2815S		600	550		630*580*1055	0.3855